CWRU
WRITTEN PROGRAM
FOR FORMALDEHYDE

29 CFR 1910.1048

Written 1995
Revised 08/2011

DANGER
FORMALDEHYDE
IRRITANT & POTENTIAL CANCER HAZARD
AUTHORIZED PERSONNEL ONLY

V. Health Hazards

A. Depending on the level and duration of formaldehyde exposure, potential health hazards due to formaldehyde exposure include irritation of skin and mucous membranes, breathing difficulties, sensitization and allergic reactions, mutagenic and teratogenic effects. It is also a confirmed animal carcinogen and potential human carcinogen.

VI. Exposure Limits

A. Personal exposure to formaldehyde must be controlled to prevent adverse health effects, especially exposure via inhalation and skin absorption. Established procedures and safety controls must be included in the prndi-ealth

FORMALDEHYDE STANDARD
OSHA 29 CFR 1910.1048

Standard Number: 1910.1048
Standard Title: Formaldehyde.
SubPart Number: Z
SubPart Title: Toxic and Hazardous Substances

(a)

and measure sufficient exposures within each job classification for each workshift to correctly characterize and not underestimate the exposure of any employee within each exposure group.

(d)(2)(ii)

DANGER
FORMALDEHYDE-CONTAMINATED [CLOTHING] EQUIPMENT
AVOID INHALATION AND SKIN CONTACT

(h)(2)(iii) The employer shall assure that only persons trained to recognize the hazards of formaldehyde remove the contaminated material from the storage area for purposes of cleaning, laundering, or disposal.

e(sm2(a)4(a)Tj -2(ho)- -0.-614w(T)-6(dv--1)-6vT)-6(d)o

(l)(2) Examination by a physician. All medical procedures, including administration of medical disease questionnaires, shall be performed by or under the supervision of a licensed physician and shall be provided without cost to the employee, without loss of pay, and at a reasonable time and place.

(l)(3) Medical disease questionnaire. The employer shall make the following medical surveillance available to employees prior to assignment to a job where formaldehyde exposure is at or above the action level or above the STEL and annually thereafter. The employer shall also make the following medical surveillance available promptly upon determining that an employee is experiencing signs and symptoms indicati.004 ToA 0ms iiblee

(l)(3\i)

physician. This written opinion shall contain the results of

(l)(8)(ii) An employee's report of signs or symptoms of possible overexposure to formaldehyde shall be evaluated by a

(l)(8)(vi) When an employee is removed pursuant to paragraph (l)(8)(v), the employer shall transfer the employee to c

such examinations, consultations,

(l)(9)(v) In the alternative, the employer and the employee or authorized employee representative may jointly designate such third physician.

(l)(9)(vi) The employer shall act consistent with the findings, determinations and recommendations of the third physician, unless the employer and the employee reach an agreement which is otherwise consistent with the recommendations of at least one of the three physicians.

(m) Hazard communication -

(m)(1) General. Communication of the hazards associated with formaldehyde in the workplace shall be governed by the requirements of paragraph (m). The definitions of 29 CFR 1910.1200 (c) shall apply under this paragraph.

(m)(1)(i) The following shall be subject to the hazard communication requirements of this paragraph: formaldehyde gas, all mixtures or solutions composed of greater than 0.1 percent formaldehaldeh]TJ 0.43 Tw T* [(004 T9ai)-6(s)-5( )-10(o)-4(t)-6.004()())

(m)(3)(ii) Information on labels. As a minimum, for all materials listed in paragraph (m)(1)(i) capable of releasing formaldehyde at levels of 0.1 ppm to 0.5 ppm, labels shall identify that the product contains formaldehyde; list the name and address of the responsible party; and state that physical and health hazard information is readily available from the employer and from material safety data sheets.

(m)(3)(iii) For materials listed in paragraph (m)(1)(i) capable of releasing formaldehyde at levels above 0.5 ppm, labels shall appropriately address all hazards as defined in 29 CFR 1910.1200 (d) and 29 CFR 1910.1200 Appendices A and B, including respiratory sensitization, and shall contain the words "Potential Cancer Hazard."

(m)(3)(iv) In making the determinations of anticipated levels of formaldehyde release, the employer may rely on objective data indicating the extent of potential formaldehyde release under reasonably foreseeable conditions of use.

(m)(3)(v) Substitute warning labels. The employer may use warning labels required by other statutes, regulations, or ordinances which impart the same information as the warning statements required by this paragraph.

(m)(4) Material safety data sheets.

(m)(4)(i) Any employer who uses formaldehyde-containing materials listed in paragraph (m)(1)(i) shall comply with the requirements of 29 CFR 1910.1200(g) with regard to the development and updating of material safety data sheets.

(m)(4)(ii) Manufacturers, importers, and distributors of formaldehyde-containing materials listed in paragraph (m)(1)(i) shall assure that material safety data sheets and updated information are provided to all employers purchasing such materials at the time of the initial shipment and at the time of the first shipment after a material safety data sheet is updated.

(m)(5) Written hazard communication program. The employer shall develop, implement, and maintain at the workplace, a written hazard communication program for formaldehyde exposures in the workplace, which at a minimum describes how the requirements specified in this paragraph for labels and other forms of warning and material safety data

(n)(3)(v) Instructions for the handling of spills, emergencies, and clean-up procedures;

(n)(3)(vi) An explanation of the importance of engineering and work practice controls for employee protection and any necessary instruction in the use of these controls; and

(n)(3)(vii) A review of emergency procedures including the specific duties or assignments of each employee in the event of an emergency.

(n)(4) Access to training materials.

(n)(4)(i) The employer shall inform all affected employees of the location of written training materials and shall make these materials readily available, without cost, to the affected employees.

(n)(4)(ii) The employer shall provide, upon request, all training materials relating to the employee training program to the Assistant Secretary and the Director.

(o) Recordkeeping -

(o)(1) Exposure measurements. The employer shall establish and maintain an accurate record of all measurements taken to monitor employee exposure to formaldehyde. This record shall include:

(o)(1)(i) The date of measurement;

(o)(1)(ii) The operation being monitored;

(o)(1)(iii) The methods of sampling and analysis and evidence of their accuracylo(a)-10(c)he em ac4Tw 2.62 0 Td20.003((a)1(he.42 0 Td ( )Tj

record of the objective data relied upon to support the determination that no employee is exposed to formaldehyde at or above the action level.

(o)(3) Medical surveillance. The employer shall establish and maintain an accurate record for each employee subject to medical surveillance under this standard. This record shall include:

(o)(3)(i) The name and social security number of the employee;

(o)(3)(ii) The physician's written opinion;

(o)(3)(iii) A list of any employee health complaints that may be related to exposure to formaldehyde; and

(o)(3)(iv) A copy of the medical examination results, including medical disease questionnaires and results of any medical tests required by the standard or mandated by the examining physician.

(o)(4) Respirator fit testing.

(o)(4)(i) The employer shall establish and maintain accurate records for employees subject to negative pressure respirator fit testing required by this standard.

(o)(4)(ii) This record shall include:

(o)(4)(ii)(A) A copy of the protocol selected for respirator fit testing.

(o)(4)(ii)(B) A copy of the results of any fit testing performed.

(o)(4)(ii)(C) The size and manufacturer of the types of respirators available for selection.

(o)(4)(ii)(D) The date of the most recent fit testing, the name and social security number of each tested employee, and the respirator type and facepiece selected.

(o)(5) Record retention. The employer shall retain records required by this standard for at least the following periods: