

# and Environmental Sa NEWSLETTER

May-June 1998

CASE WESTERN RESERVE UNIVERSITY

### **Ergonomics** in the Laboratory

Yes, you've probably heard the word many times. But do you know what ergonomics really means? How it applies to you and your work?

Ergonomics is a means of optimizing the way a system functions by adapting it to human capacities and needs-in common terms, it's a way of fitting the task to the person. In our daily lives in the workplace, we use principles of ergonomics to find positions and tools that minimize stress on the body while working.

Ergonomics has gotten a lot of press lately because of the long hours people sit at computers. But all manual and repetitive work done for hours on end places stress on the body, and many laboratory tasks require these painstaking and lengthy procedures-pipetting, sitting at the microscope, labeling small jars or test tubes. These tasks can contribute to poor posture, repetetive stress injury, and other ailments.

While working, do you experience pain, numbness, or tingling in parts of your body? If so, it may be caused by

components of your workstation placing unnatural stress on your body. Our department can help by doing an ergonomic evaluation of your workstation and possibly making some recommendations to improve the situation. Some simple changes may be all it takes to make you more comfortable.

For further information about workstation assessments, call Dick Harley (x5865) or Paige Wietelmann (x2739) from Safety Services.

> See related article about ergonomics and microscope use on page 4.

## Sewer Gas

Remember to reg your laboratory's cui drains to prevent se from coming into the there is water in tl odor is caused wher

To prevent this, drains by pouring : lons of water into tl weeks to a month, or smell an odor eman trap. Many odors a receive complaints a doing this simple task. If you have any questions about this procedure call Safety Services at



In This Issu

Ergonomics in the Laboratory ... Sewer Gas Odor? ..... **Recycling Materials for the Still..** Halogen Lamps: Are They Safe? . Hot Tips: Radioactive SHARPS ... Working Safely With Lasers ..... Workstation Assessment for

Microscope Use .....

#### **Safety News For the Campus Community**

# Materials for the Still

The amount of materials our department has received for distillation and recycling has decreased considerably in the past few months. We are trying to make the process as easy as possible for researchers to participate in this highly desirable program.

One of the issues that has caused problems in the past has been discoloration of the newly recycled acetone wash, caused by the disintegration of the storage can's liner. We now have storage receptacles that will not cause discoloration.

We also have instituted a lab "pick up" which will allow for quicker turn-around time for materials. When you have several gallons of acetone wash that is ready for recyling, call us--we will pick up the material from your lab and return it when the procedure is completed.

The department's spinning band still is currently set up to recycle acetone wash. Xylene from histological procedures, as long as it has only traces of wax or alcohol, is also readily recyclable, and we have also recycled ethylene. However, these are not the only options—if your lab produces many gallons of a specific type of waste over a short period of time and you think some of it could be distilled, contact us with the suggestion.

Recycling is an effective approach to waste minimization and helps us meet governmentmandated programs required of all producers of large amounts of potentially hazardous waste. It is also a win-win proposition: it saves you money and minimizes waste. Please look into your lab practices to see how you can contribute to our waste recycling and reclamation program. Call us at x2907 with any questions about the procedure or to decide if your laboratory a good candidate for this program. Floor and table halogen lamps k very popular recently. But because such intense heat and have caused they are considered unsafe.

The halogen bulb is very hot when and will easily ignite any ordinary material it comes in contact with. The many instances where these halogen have fallen on combustible material a fire; there are also instances where c have fallen or otherwise contacted t caught fire. Even touching the bul severe burns.

For these reasons, the University O ing and Residence Life has prohibit these lamps in residential buildings. ment of Occupational and Environn (DOES) strongly recommends that used in any CWRU building.

If you have any questions please cal at Safety Services (x5865).

#### **Upcoming Training Se**

#### Radiation (x2906)

•New Training: June 19(9-12), 30(1-(9-12), 21(1-4))

•**Retraining:** June 17(2-3), 26(10-11) 17(10-11)

•X-ray Training: call office to set up session

#### Chemical (x2907)

•OSHA Lab Standard: Mondays 1-Building Conference Room)

#### **Bloodborne Pathogen (x2907)**

•New Training: Mondays 3-4 (Servi Conference Room)

• **Retraining:** (Service Building Con Room) **June 24 (2-3)**; July 9 (10-11),

## **Radioactive SH**

Like all waste, those items with radiation must be separat lar trash and thrown away in tainers. The same is true c SHARPS, which need to be di cardboard box.

The Radiation Safety Office questions about this topic late concerning safe and proper d pette tips. Radioactive pipettes and other items considered SH broken test tubes or microscope be disposed



(continued on p. 5)

periods is not what the numan body was designed for—it requires holding one's body in an unnaturally rigid position. Microscope locations and positions can exacerbate the problem by forcing the worker to sit in a precarious position, hold arms and legs at various awkward angles, and place strain on the neck and back.

In order to minimize stress on the body, it is important to adopt a correct ergonomic working posture. This means fitting the workstation to the worker, not vice versa.

Below are some questions concerning the proper ways to sit and use a microscope for extended periods of time, just one example of the many potentially straining tasks done in the lab. Answering "no" to these questions means that you are not sitting in an ergonomically correct way. Over time, this can lead to the sort of pain and tingling associated with repetitive strain injuries.

#### **A Posture Quiz:**

1. Are you sitting back in the chair, rather than perching on it?

2. Is the height of the chair adjusted so that your feet are resting comfortably, flat on the floor?

3. Is there an even pressure along the backs of the thighs?

4. Does the chair support your back in an upright position? Ideally, it should support to beyond the level of the shoulder blades.

5. Are the microscope eye-pieces in line with, or extending over, the front edge of the bench?

6. Is the vertical position of the eye-pieces a little high for comfort, so that your head is upright?

7. Are you gazing slightly downwards into the eye-pieces, as opposed to tilting your head and 'looking straight-ahead' into them?

**8**. Are your thighs clear of the under-surface of the bench?

9. When operating the focus and stage controls, are your forearms resting on something, either the bench or microscope arm rests?

The photo above shows poor posture at th the one below exhibits proper postur ergonomically adjusted work sta

(continued on p.6)

needed. Battery-operated laser pointers, such as the type used in professional meetings and presentations, are usually in this class.

Class 2 and 2a lasers have low power and emit visible light. They can cause harm if viewed for longer than 1000 seconds or if they

have enough power to cause pain when viewed for longer than .25 seconds (the eye aversion response time). No special precautions are required for use with this class of laser; the concept here is that the human aversion to bright light will protect a person.

Class 3a and 3b lasers require special signs with the laser warning symbol and the word "CAUTION" (for 3a lasers) or the word "DANGER" (for 3b lasers). These lasers are moderately powerful and can be hazardous even if incidental exposure occurs. Class 3b lasers can cause ocular damage both through direct and for the use of the laser

 use appropriate eye protect Services for help in selecting the p

heed warning signs

• turn off the laser or shutter the in use



Example of the laser warning sign available from Safety Services.

diffuse exposures. Safety measures needed include proper engineering controls (such as enclosures, limited open beam paths, and

diffuse rac posi above eye possible.

are types 2 may requ other posti of protect for the ey Safety Ser with any c laboratory cerning las ing eyewe other relat

#### (continued from p.4)

10. Are you taking regular breaks from the microscope, e.g. two or three minutes every half-hour? This needs urgent consideration. Computer users are recommended to take five minutes every hour, and microscopy work is probably more physically demanding.

Poor positioning is one of the major risk factors in the burgeoning amount of repetitive strain injuries being reported in the workplace. The questions above are designed to make you think about how you sit while working and if you may need to adopt a new position. If you have questions or concerns about correct ergonomic working posture or repetitive tasks which may cause strain or injuries, call Dick Harley (x5865) or Paige Wietelmann (x2739) at Safety Services. <u>Saf</u>e

RadiationSafetyTechnici Karen Janiga (kej2) Joe Nikstenas (jen) Felice Thornton-Porter (f. Yelena Tigay (yxt13) Edward Traverso (ejt) Shirley Xu (sxx)

Department of Occupational and Environmental Safety Case Western Reserve Ui 216-368-2906/2907 FAX: 216-368-2236 (E-mail) xx266@po.cwru.edu (WWW) http://does.cwru.edu

Safety News For the Campus Community