

CASE W
DEPARTM

AN

Felice T.

TABL

INTRC

SUMM

RADIA

RADIA

OHIO

RADIA

ADMIN

RADIA

RADIA

RADIA

APPEI

•

•

•

•

•

INTI

This
the
Cas
Stat
(RS
Univ

SUM

DEF

The
and
deve
anti
ager

DEF

The
initia
facil

RAD

Ove
of th

RAD

The
inter
train

pr
loc

OF

CV
po:
nat
irra

The
use
X-r
con

DE

The
The
Un
dat

depe
Expe
The l
is de
decoi
rating

RADI

RAM

-
-
-
-

RAM

-
-
-
-

PURF

The r
isoto
withi
stand

RADI

RADI

The F
Comm
monit
in the
Comm
The C

The 2
The O
from e

VOTIN

| |
|---|
| Dr. T Dept BRB LC - Terr Chai 10/14 |
| Dr. C Dept BRB LC - Terr |
| Dr. V Dept WRE LC - Terr |
| Dr. T Dept HG V LC - Terr |
| Dr. S Anim BRB LC - Terr |

EX-OF

| |
|---|
| Rich Vice Dept Admi Adelt LC - |
| Bruce Univ Bishc LC - |

Jo
EH
Sa
Se
Fir
LC

SUP

De
Se
Fir

The
RAM
princ
comp
The :

-
-
-
-

The
for ra
agen
exec
Unive

[]
[]
[]
[]
[]
[]
[]
[]

Majo

-
-
-
-

- invo
- Sev
- clas
- Old
- dec
- Ren
- appl
- Rich
- Fres
- path
- WRT
- depa
- Thor
- the C
- Felic
- W. D
- the
- impo
- and
- and
- Durin
- depa
- Ther
- Licer
- rese
- purch
- The
- A res
- in RS
- The
- Lase
- Felic
- inspe
- Dece
- The
- Ther
- The
- Rich
- of a C
- Comi
- HEC
- RSO
- Clinic
- Lase
- (2/20
- Two
- There
- The F
- Introc
- Wortr
- founc
- New
- Safet
- We c
- practi
- safety
- The
- worke
- inapp
- follow

- Old Dental School has b
- Analytical X-Ray unit in (6/2019)
- HEC Dental Clinic is mo
- Irradiator security equip
- Radiation Staff member,

SENIOR MANAGEMENT

The Radiation Safety Progr their personnel. Senior ma is guaranteed by attendanc RSC conducts independe immediately responds to a management and the Cor continues to provide direct absence of Richard Jami representation.

RSOF AND AUTHORIZED

The AU and RSOF share use of RAM in the laboraf appropriate safety procedu for monitoring safety during are conducted by the RSC includes routine unannounc

ADMINISTRATIVE

Administrative procedures used

General standards that do not jeopardize the health of the community. These procedures are used to protect and to promote the health of the ODH.

There are three types of violations:

Minor severe

- Improper
- Non-compliance
- Main

Moderate severe

- Food
- RAM
- RAM
- Unapp
- Unapp
- Unid
- Failure

Major severe

- Falsification
- Unre
- Unapp

There were no violations listed below. Routine control three or more routine and violations.

| |
|------------|
| VIOLATIONS |
| Minor |
| Moderate |
| Major |
| Total |

The assistance department 2019.

AU

RA

AU
by
lab

RA

The

RA

AU
req

DE

AU
dec

| |
|-----|
| AUs |
|-----|

| |
|----|
| RA |
|----|

| |
|----|
| SM |
|----|

| |
|----|
| RI |
|----|

| |
|---|
| D |
|---|

| |
|------|
| Tota |
|------|

MA

The
the
rela

AU

The
RAI
on l

RADIA

STAFF

The RS

Training
among
regulate
Semina
radiolog
refresh

EHS st.
training
sheets
commu
departn

EHS EM

Since in
inquiries
This co
user co

To rep
provide
<https://v>
any oth

TRAINI

It is the
keep dc
training
use of a
continue
contact

AU

An AU i

RADI/

A radi

ANCIL

An ar
classr
servic
depart
trainin

RADI/

An X-r

IRRAE

Person
the RS
any pe
and fir

TRAIN

The R
refrest
essent
the as:

New is
safety
respor
X-ray
fluoros
genera
as-nee
there a
annual

All no
radiati
depart
from w

| |
|----|
| TR |
| Re |
| Or |
| Re |
| X- |
| An |
| La |
| La |

Over 2
2019,
the RS
isotope

FACIL

CWRU
person
RSO
inspec
availab

LABOR

There
laborat
analytic
supplie

Radiati

Facilitie
are loc
Wolstei

R

Th
in
m
co
a
ar
qu
id
ho
ne
ec
pr

R:

M
Th
di
sy
m
ec

Th
st
li
ga
re
de
nc
m

W

Re
cc
sc
ar
su

Re
ce
dc
sh

IOE

Spe
con
loar
Inst

ANI

Cor
Met
Buil
and
and
nee
iterr
radi
in th
beh

EQ

Ann
mea
met
instr
sim

The
repl
DOA
the
210
mov
cour
the
cont
calib
serv

R.

PI

At
pl

At
ad
is
R.
be

TF

Th
(o
tra
is)

R.

Ev
ar
th
la
th
gr
C
cc
a
re


R.
m
su
ar
we
pa

D

Ex
re
di
is

IS
133
114
144
108
574
604
137
644
184
684
684
3H
125
54H
22H
32F
33F
210
36C
65Z
To
R/
M
On
mC
Pic
Se
Tr
mC

St
C
re
st
wa
Th
dc
dc
sig
Se
ge
re
so
R
an



PE

Pe
wh
All
in
rec
do
ex
so
an

Th
se
op

PR

An
of
lin
the
me
he

NE

For
se
we

US

Th
inv
flu
flu

Alt
co
do
mi

F
V
M
F
I
C

CWRL
person
ODH r
dose e

RADIA

Machir
warnin
Analyti
require
diagno
RGE is
RGE, i
this eq

RADIATI
GENERA
UNITS
(Not In U
Diagnosti
Disposed
Diagnosti
Purchase

The O
purcha

RADIATI
(IN USE)
Closed Be
Dental Cc
Photoelec
under OD
Fluorosc
Hand-hel
Hand-hel
Intraoral
Panoral (C
Cabinet S
Tube Only
Radiograp
TOTAL TI

RADIO

SEWER

State
sewers;
is disc
both f
12/31/
AUs in
hundre
period

AIR E

During
maxim
was in
and th

With re
to airt
expost
be per
exhau:
approx
volatile
radioa:
fiscal y

BIOAS

Bioass
Bioass
RSOF
(urinal
assaye

RADIC

During
invento
more t
to:

-
-

7
a
o
F

] U k t
F E E f n p c a o
M T i r M T i r a a T

IN
Ma
Mi
TC

DA
5/

2/

12

11.

10.

10.

10.

10*

9/2

7/1

9/1

EH

Tr
se
thi

RECEIVED
OFFICE OF THE
ATTORNEY GENERAL
STATE OF CALIFORNIA
SAN FRANCISCO
JAN 10 1907

THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS
1963

1963
1964

RAD

The

•

•

Perf

ARE

RAM

Isotc

RGE

Anci

AU/

Radi

Was

Ship

RAM

Bioa

Sem

Seal

EHS

Irrad

Roor

Com

Lase

Licen

Dosi

Incid

Thes

June

abov

RSC

RSC

In O

the F

Activ

Com

Direc

Dosi

EHS

Irrad
Licen
Radi
Seal
Supp
Radi
Valid
Wast

Each
cont

Activ

An al
room
verifi
and r

RSOF

No re

Comp

Comp
non-c
Croni

RSOF


No re

Direct

Isotop
Cronic
denot

RSOF

No re



Qu
ex
up

RS

No

Se

File
file
list

RS

Th

Su

An
seg
Re
(2)
wo

RS

No

Ra

Cor
exa
Jan

RS

No

Val

RAI
vali
upd
con

RECEIVED
FEDERAL BUREAU OF INVESTIGATION
U. S. DEPARTMENT OF JUSTICE
WASHINGTON, D. C. 20535

AU

Aut
exa

RS

No

Bio

An
and
per

RS

No

Dir

Isot
1/1
in th

RS

No

EH

The
wer
that

RS

No

Inci

A r
ver
tw

THE UNIVERSITY OF CHICAGO

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

1971

In
R
A
C
D
In
Is
La
Li
Se
Se
Su
Va
W
El

Ea
we

Al

A
pr
we

R

Th

Bi

Ar
ar
fo

R

Ne

Co

Co
cc
nc
nc

RSOF

Increase
of 50 fi

Dosime

An auc
AU lab
auditec

RSOF

No resp

Incident

A review
document

RSOF

No resp

Isotope

Dr. Ogi
ordered
Database

RSOF I

No resp

Laser F

The La
inventory
deficient
The di
deficient

RSOF F

A number
compliance

Licensing

An audit v
4/25/2019
Radiation
Online Tr
programs

RSOF RE

No respor

Security c

Verificatio
Dr. McCoi
PI was no

RSOF RE

The respo

Semi-anni

Dr. Schier
annual ma

RSOF RE

No respor

Support S

An audit
segments
Receiving
deficienci

RSOF RE

The Ancill

Valid Ram

RAM appl
valid. Dr.

- Valid RAM A
- Waste Dispc

The Results of this :

Active/Decommissic

An audit was perfo
verify that the labor.
follow-up on non-c
6/30/2019. Fifty (50
informed of these ar

RSOF RESPONSE:

No response require

Ancillary Staff Traini

An annual audit was
files for a period fro
workers audited w
workers.

RSOF RESPONSE:

These Ancillary pers

AU and Worker Trai

An annual audit wa
training files for a p
ancillary workers au
workers.

RSOF RESPONSE:

No further response

Bioassays

An audit was perfo
and/or 1mCi 125I k
been performed for

RSOF RESPONSE:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

A review o
verification a
four (4) files

RSOF RESF

No response

Isotope Ord

Dr. McCorm
was within tl
covering the
records. The

RSOF RESF

The misplac

Laser Progr

The Laser
inventory an
were audite
the responsi

RSOF RESF

The Laser P

Licensing St

An audit wa
during the p
RGE licens
Training, X-
Valadkhan r
that the und

RSOF RESF

No response

Radiation Gi

Quarterly inventory
examined 16 files
inventory reports a

RSOF RESPONSE

No response requir

Sealed Source Lea

Files verifying that
6/30/2019. Fifty (50)
The RSOF correcte

RSOF RESPONSE

No further respons

Radioisotope secur

Verification and do
7/1/2018-6/30/2019
period. All incidents

RSOF RESPONSE

No response requir

Semi-Annual Mailin

An annual audit of
6/30/2019. Fifteen (15)

RSOF RESPONSE

No response requir

Radiation Survey M

Compliant calibratio
files were examine
RSOF was notified

RSOF RESPONSE:

No further respons

Et

Ar
pe
we

RS

Nc

Va

RA
we

RS

Nc

W:

Th
en
6/3
ret
ha
co

RS

Nc

SL

Nc
co

RS

Th
De
sc

Et

Three layers of a
safety programs
RSOF Staff and
records and assis
office.

Sealed Source
Shipping Papers
Valid RAM Applications
Isotope Orders/ AU Posi
AU/ Worker Training
Waste Disposal Facility
Active/Decommissioned

Corrections to the
safety continues t

This report was p
It covers fiscal year

APPENDIX

A
R
C
F
S
P
H
R
F
J
D
M
K
X

X
A
G
C
F
E
M
Z
S
S
A
D
L

L
R
C
S
B
J
L
J
A
C
K
C
A
E
P
A
B

