HHS Public Access
Author manuscript
J Interprof Care. Author manuscript; available in PMC 2015 September 08.

Published in final edited form as:
J Interprof Care

AN EXPLORATORY STUDY OF AN ASSESSMENT TOOL DERIVED FROM THE COMPETENCIES OF THE INTERPROFESSIONAL EDUCATION COLLABORATIVE

Alan W. Dow[1], **Deborah DiazGranados**[2], **Paul E. Mazmanian**[2], and **Sheldon M. Retchin**[3]

[1]Center for Interprofessional Education and Collaborative Care, Virginia Commonwealth University, Richmond, VA, USA

[2]Office of Assessment and Evaluation Studies, Virginia Commonwealth University, Richmond, VA, USA

[3]Office of the Senior Vice President of Health Sciences, Virginia Commonwealth University, Richmond, VA, USA

Abstract

Linking the outcomes from interprofessional education to improvements in patient care has been hampered by educational assessments that primarily measure the short-term benefits of specific curricular interventions. Competencies, recently published by the Interprofessional Education Collaborative (IPEC), elaborate overarching goals for interprofessional education by specifying desired outcomes for graduating health professions students. The competencies define a transition point between the prescribed and structured educational experience of a professional degree program and the more self-directed, patient-oriented learning associated with professional practice. Drawing on the IPEC competencies for validity, we created a 42-item questionnaire to assess outcomes related to collaborative practice at the degree program level. To establish the usability and psychometric properties of the questionnaire, it was administered to all the students on a health science campus at a large urban university in the mid-Atlantic of the United States. The student responses (n = 481) defined four components aligned in part with the four domains of the IPEC competencies. In addition, the results demonstrated differences in scores by domain that can be used to structure future curricula. These findings suggest a questionnaire based on the IPEC competencies might provide a measure to assess programmatic outcomes related to interprofessional education. We discuss directions for future research, such as a comparison of results within and between institutions, and how these results could provide valuable insights about the effect of different curricular approaches to interprofessional education and the success of various educational programs at preparing students for collaborative practice.

Declaration of Interest
The authors report no conflict of interest. The authors alone are responsible for the writing and content of this paper.

Author Manuscript Author Manuscript Author Manuscript Author Manuscript

The current report describes the initial phase of the development of a questionnaire designed to explore the utility of using the IPEC competencies for assessment. Measuring the interprofessional competency of health professional students could: 1) inform curriculum planning with valid and reliable information, 2) track the effects of degree programs on interprofessional competency, and 3) provide data that can be used within and between institutions to compare programmatic outcomes. Herein, we report the usability and initial psychometric properties of the questionnaire from its initial administration on a health science campus. We also describe differences in scores by competency, year of study, and profession to provide an example of the potential implications of these findings for curriculum planners and other stakeholders.

METHODS

Questionnaire Development

To begin the process of developing questionnaire items (Figure 1), two authors (AD and DDG) adapted thirty-two of the 38 competencies directly into items with minimal change. Five competencies were found to address two concepts, such as individual and team perspectives; these competencies were divided into ten survey items.

One competency was omitted from the questionnaire because it referred to a group rather than individual behavior. The stem ‘I am able to’ was added to the beginning of each item, and each item was then assigned to a 5-point Likert scale (1-*Strongly Disagree*, 2-*Disagree*, 3-*Neither Agree nor Disagree*, 4-*Agree*, and 5-*Strongly Agree)*. To ensure item clarity before distribution, two fourth-year medical students vetted the questionnaire, and edits were made based on their comments to create the final version.[1]

Study Population

The study population consisted of students (N = 3236) enrolled in clinical degree programs for the 2012 academic year on the health science campus at our institution, a major academic health center in an urban environment. The health science campus occupies 53 acres and includes five health science schools – allied health, dentistry, medicine, nursing, and pharmacy – and a tertiary-referral health system. The School of Allied Health comprises nine departments with programs such as physical therapy, occupational therapy, nurse anesthesia, health administration, and gerontology. The School of Dentistry includes both Doctor of Dental Surgery and dental hygiene programs. The School of Medicine enrolls students in the Doctor of Medicine program and graduate students in basic science programs. The School of Nursing educates students for Bachelors, Masters, and Doctorate degrees in Nursing. The School of Pharmacy has primarily Doctorate of Pharmacy students with a small number of other graduate students in Masters or Doctoral programs. Although occasional interprofessional education activities involving fewer than fifty students were ongoing at the time of the survey, no large-scale or high visibility interprofessional education courses had been implemented at this juncture.

Author Manuscript Author Manuscript Author Manuscript Author Manuscript

Procedure

After approval by the Institutional Review Board, the questionnaire was administered to the study population electronically using REDCap, an electronic data collection and analysis software program in April, 2012. The students received invitation emails with a link to the online tool. These invitation emails were sent once a week for four weeks by educational leaders, such as the Associate Dean of Education for each school, but these individuals were not aware of whether students had completed the survey. On the first page of the questionnaire, students were asked to enter their email address if they wished to complete the survey. The email address was required for two purposes: 1) to contact five students each week who were randomly selected to receive a $25 gift card, and2) to link student responses across subsequent years of study and performance., Appended to the questionnaire were demographic questions about program of study, year of study, gender, race, and prior healthcare experience.

Data Analysis

Using SPSS 20.0 software, the data were analyzed using standard statistical procedures (Howell, 2002), (Tabachnick & Fidell, 2012). First, they were screened for outliers and item normality. The data were then checked to determine the appropriateness for conducting an exploratory factor analysis on all 42 IPEC survey items. Several well-recognized criteria to test the factorability of the items were used. The Bartlett's test of sphericity, which tested the hypothesis that the correlation matrix is an identity matrix, was significant. The Kaiser-Meyer-Olkin measure of sampling adequacy was .98, above the recommended value of .6. Finally, the communalities were all above .3 (see Table 1).

Given these overall indicators, all 42 items were retained. A principle components analysis with varimax rotation was performed to empirically summarize the dataset and group items into components. For each component and for the tool overall, Cronbach's alphas were calculated to assess reliability. In addition, for each initial IPEC competency domain, mean and median scores were calculated. Having completed the exploratory factor analysis, median scores were compared across domains. We then conducted analyses to examine whether there were differences across domains by discipline and by level of education.

RESULTS

Respondent Characteristics

The questionnaire was completed by 481 of 3236 students for an overall response rate of 14.9%. Response rates for specific populations were 25.4% for Doctor of Medicine students (194/763), 26.3% for Doctor of Pharmacy students (137/520), and 7.8% for Bachelors of Science in Nursing and Masters of Science in Nursing students, combined (70/902). The majority of the respondents were female (71.1%) and were Caucasian (67.9%) with the race of the remaining of the respondents being Asian (23.9%), African-American (4.9%), or Other (6.8%) (respondents could select more than one race). These data mirror the overall student population on the health science campus. The percent of students who described their prior healthcare experience as none, shadowing, part-time employment, and prior career was 7.1%, 41.8%, 27.4%, and 22.5%, respectively.

Measurement Tool Characteristics

Principal components analysis with an eigenvalue greater than or equal to 1.0 criterion revealed four components in the response data (Table 1). A loading threshold of 0.50 was used to assist in defining the components. Because of the alignment of each component with a domain of the initial IPEC competencies, the first component was defined as the 'Teams and teamwork' domain; the second component, the 'Values and ethics' domain; the third component, the 'Interprofessional communication' domain; and the fourth component, the 'Roles and responsibilities' domain. The initial eigenvalues showed that the first component explained 24.4% of the variance, the second component, 23.7% of the variance, the third component, 17.7% of the variance, and the fourth component, 13.7% of the variance. In total, the components accounted for 79% of the variance in the response data. Each component demonstrated a high degree of internal consistency with overall alphas ranging from 0.96 to 0.98 (see Tables 2, 3, 4 and 5).

Differences across Domains, Year of Education, and Discipline

Three sets of analyses are reported herein. First, we compared medians across domains with no consideration given to the level of education variable. Because data were not normally distributed, non-parametric analyses were conducted for all analyses (Howell, 2002; Tabachnick & Fidell, 2012). The second set of analyses, which resulted in no statistically significant findings, compared medians on each domain to determine whether there were differences across year of education (e.g., Were first year students scoring higher or lower on the 'Values and Ethics' domain as compared to their counterparts in their 2

Author Manuscript Author Manuscript Author Manuscript Author Manuscript

practices in ‘Interprofessional Communication’ could be followed by simulation- or clinically-based education designed to develop and demonstrate competency in the more advanced concepts of communication and teamwork. Following the changes in domain scores over time could help track the overall success of educational programs at building these competencies.

Although prior studies of tools for measuring interprofessional concepts have found significant differences between different health professions (Horsburgh, Lamdin, & Williamson, 2001), (Braithwaite, et al., 2013), we found differences in only one domain, higher scores in the roles and responsibilities domain for nursing students. This constellation of findings may stem from different tools measuring separate concepts (i.e. attitudes towards interprofessional education and care versus ratings of competency), or differences in study populations or settings. Overall, our findings suggest students identify similar unmet needs in competencies related to interprofessional care and support centralized, institutional programs to develop interprofessional education. While a larger group of respondents may increase the statistical power to detect a difference between professions, the clinical impact of any observed variation should also be quantified.

Analysis of student responses showed no improvement of interprofessional competency as students progressed through training. Although no formal, large-scale interprofessional education programs existed at our institution at the time of the survey, we expected existing experiences in the clinical environment to shape interprofessional knowledge, skills, and attitudes (Hafferty, 1998), perhaps for the worse as noted in prior studies such as decreasing empathy during the clinical education of medical students (Hojat, et al., 2009). Although we saw no decrements related to acculturation in the clinical environment, educators should prepare students to assess their own interprofessional competency and account for the potential effects of the practice environment on attitudes and overall performance (Institute of Medicine, 2009). Another possibility is that the tool may not discriminate changes in competency over time and is better used as a cross-sectional rather than longitudinal measure.

Because the goal of this questionnaire is to help define the success of educational institutions at graduating collaborative health professions students, the results of this survey are most valuable when viewed in comparison to data from other institutions. Other outcome surveys, such as the Association of American Medical Colleges (AAMC) Graduation Questionnaire, have been used to compare institutions and identify curricular needs (Lockwood, Sabharwal, Danoff, & Whitcomb, 2004). Being able to compare the outcomes of interprofessional education programs across institutions would allow educational planners to measure the effects of the culture and various interprofessional education experiences at an institution and adopt the most beneficial practices from across the educational landscape. In addition, other parties concerned with the interprofessional competency of graduates – such as employers, accreditors, directors of training programs, and prospective students – could use these comparative data to assess how well a program prepares its students for interprofessional practice. Future studies could expand this comparative framework to clinical units, practitioners, and continuing professional development.

Major limitations of this study include the low response rate and the restriction to one academic health center; our findings may not generalize to other sites. However, because the survey respondents mirrored our campus population in gender and race, the findings may be applicable locally. In addition, directed efforts to recruit participants in certain schools (e.g. nursing) may increase the ability to draw conclusions in the future. People also tend to overrate their abilities on instruments of self-assessed competency, particularly in situations

REFERENCES

Abu-Rish E, Kim S, Choe L, Varpio L, Malik E, White A, et al. Current trends in interprofessional education of health sciences students: A literature review. Journal of Interprofessional Care. 2012; 26(6):444–451. doi: 10.3109/13561820.2012.715604. [PubMed: 22924872]

Barr H. Toward a theoretical framework for interprofessional education. Journal of Interprofessional Care. 2013; 27(1):4–9. doi: 10.3109/13561820.2012.698328. [PubMed: 22747337]

Blue A, Mitcham M, Smith T, Raymond J, Greenberg R. Changing the future of health professions: embedding interprofessional education within an academic health center. Academic Medicine. 2010:1290–1295. doi: 10.1097/ACM.0b013e3181e53e07. [PubMed: 20671454]

Braithwaite J, Westbrook M, Nugus P, Greenfield D, Travaglia J, Runciman W, et al. Continuing differences between health professions' attitudes: the saga of accomplishing systems-wide interprofessionalism. International Journal of Quality Health Care. 2013; 25(1):8–15. doi: 10.1093/intqhc/mzs071.

Canadian Interprofessional Health Collaborative. A National Interprofessional Competency Framework. University of British Columbia; Vancouver: 2010.

Eva K, Regehr G. Exploring the divergence between self-assessment and self- monitoring. Advances in Health Sciences Education: Theory, and Practice. 2011; 16(3):311–329. doi: 10.1007/s10459-010-9263-2. [PubMed: 21113820]

Hafferty F. Beyond Curriculum Reform: Confronting Medicine's Hidden Curriculum. Academic Medicine. 1998:403–407. [PubMed: 9580717]

Hojat M, Vergare M, Maxwell K, Brainard G, Herrine S, Isenberg G, et al. The devil is in the third year: a longitudinal study of erosion of empathy in medical school. Academic Medicine. 2009:1182–1191. doi: 10.1097/ACM.0b013e3181b17e55. [PubMed: 19707055]

Horsburgh M, Lamdin R, Williamson E. Multiprofessional learning: the attitudes of medical, nursing and pharmacy students to shared learning. Medical Education. 2001; 35(9):876–883. [PubMed: 11555226]

Howell, DC. Statistical Methods for Psychology. 5th ed.. Duxbury; Pacific Grove,CA: 2002.

Institute of Medicine. Educating for the health team. National Academy of Sciences; Washington, DC: 1972.

Institute of Medicine. Health professions education: a bridge to quality. National Academy of Sciences; 2003. 2003

Institute of Medicine. Redesigning Continuing Education in the Health Professions. National Academies Press; Washington, DC: 2009.

Interprofessional Education Collaborative Expert Panel. Core competencies for interprofessional collaborative practice: report of an expert panel. Interprofessional Education Collaborative; Washington, D.C.: 2011.

Lockwood J, Sabharwal R, Danoff D, Whitcomb M. Quality improvement in medical students' education: the AAMC medical school graduation questionnaire. Medical Education. 2004; 38(3): 234–236. [PubMed: 14996330]

Luecht R, Madsen M, Taugher M, Petterson B. Assessing professional perceptions: design and validation of an Interdisciplinary Education Perception Scale. Journal of Allied Health. 1990; 19(2):181–191. [PubMed: 2365636]

Nunnally, J.; Bernstein, I. Psychometric Theory. McGraw-Hill; New York, NY: 1994.

Parsell G, Bligh J. The development of a questionnaire to assess the readiness of health care students for interprofessional learning (RIPLS). Medical Education. 1999; 32(2):95–100. [PubMed: 10211258]

Reeves S, Goldman J, Gilbert J, Tepper J, Silver I, Suter E, et al. A scoping review to improve conceptual clarity of interprofessional interventions. Journal of Interprofessional Care. 2011:167–174. doi: 10.3109/13561820.2010.529960. [PubMed: 21182439]

Reeves S, Perrier L, Goldman J, Freeth D, Zwarenstein M. Interprofessional education: effects on professional practice and healthcare outcomes (update). The Cochrane Database of Systematic Reviews. 2013; 3:CD002213. doi: 10.1002/14651858.CD002213.pub3. [PubMed: 23543515]

Author Manuscript Author Manuscript Author Manuscript Author Manuscript

Reeves S, Zwarenstein M, Goldman J, Barr H, Freeth D, Hammick M, et al. Interprofessional education: effects on professional practice and health care outcomes. The Cochrane Collaboration and Database of Systemic Reviews. 2008:CD002213. doi: 10.1002/14651858.CD002213.pub2.

Tabachnick, BG.; Fidell, LS. Using Multivariate Statistics. 6th ed.. Allyn & Bacon; Needham Heights, MA: 2012.

Thannhauser J, Russell-Mayhew S, Scott C. Measures of interprofessional education and collaboration. Journal of Interprofessional Care. 2010; 24(4):336–349. doi: 10.3109/13561820903442903. [PubMed: 20540613]

World Health Organization. Framework for action on interprofessional education and collaborative practice. World Health Organization; Geneva: 2010.

Zorek J, Raehl C. Interprofessional education acceditation standards in the USA: A comparative analysis. Journal of Interprofessional Care. 2013; 27(2):123–130. doi: 10.3109/13561820.2012.718295. [PubMed: 22950791]

Author Manuscript Author Manuscript Author Manuscript Author Manuscript



Figure 1.
Derivation of IPEC Questionnaire from IPEC Competencies

Table 1

Author Manuscript
Author Manuscript
Author Manuscript
Author Manuscript

Author Manuscript Author Manuscript Author Manuscript Author Manuscript

Item Number	Original IPEC Domain	Factor 1	Factor 2	Factor 3	Factor 4	Communality
13	RR	.470	.373	.241	**.656**	0.848
16	RR	.457	.370	.263	**.643**	0.828
17	RR	.391	.421	.369	**.571**	0.792
19	RR	.456	.421	.360	**.548**	0.815
18	RR	.444	.422	.370	**.528**	0.791
Eigenvalues		10.267	9.962	7.447	5.760	Total variance
Percentage of total Variance		24.446	23.718	17.730	13.714	79.608

Author Manuscript Author Manuscript Author Manuscript Author Manuscript

Table 2

Alpha statistics for Factor 1 (“Teams and Teamwork” factor)

Item Number	Original IPEC Domain	Corrected Item – Total Correlation	Cronbach's Alpha if Item Deleted
31	TT	.792	.975
40	TT	.907	.973
41	TT	.853	.974
36	TT	.838	.975
32	TT	.840	.975
35	TT	.862	.974
33	TT	.854	.974
25	IC	.784	.975
39	TT	.841	.975
37	TT	.858	.974
34	TT	.857	.974
42	TT	.861	.974
29	IC	.844	.974
30	IC	.848	.974
20	IC	.836	.975

Author Manuscript Author Manuscript Author Manuscript Author Manuscript

Table 3

Alpha statistics for Factor 2 (“Values and Ethics” factor)

Item Number	Original IPEC Domain	Corrected Item – Total Correlation	Cronbach's Alpha if Item Deleted
7	VE	.918	.972
9	VE	.907	.973
3	VE	.897	.973
5	VE	.897	.973
4	VE	.871	.974
1	VE	.872	.974
10	VE	.893	.973
2	VE	.868	.974
6	VE	.898	.973
8	VE	.817	.975

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Table 4

Alpha statistics for Factor 3 (“Interprofessional Communication” factor)

Item Number	Original IPEC Domain	Corrected Item – Total Correlation	Cronbach's Alpha if Item Deleted
12	RR	.821	.964
27	IC	.855	.962
22	IC	.757	.966
38	TT	.823	.964
21	IC	.876	.962
26	IC	.891	.961
24	IC	.893	.961
23	IC	.845	.963
28	IC	.859	.962
11	RR	.839	.963

Note. Overall alpha = .966

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Table 5

Alpha statistics for Factor 4 (“Roles and Responsibilities” factor)

Item Number	Original IPEC Domain	Corrected Item – Total Correlation	Cronbach's Alpha if Item Deleted
15	RR	.854	.957
14	RR	.840	.958
13	RR	.886	.955
16	RR	.885	.955
17	RR	.860	.957
19	RR	.876	.955
18	RR	.863	.956

Note. Overall alpha = .962

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Table 6

Means, medians, and standard deviations across domains for all respondents

Domain	*n*	*M*	*SD*	*Md*
Values and Ethics*	478	4.330	.889	4.600
Roles and Responsibilities	475	4.126	.888	4.222
Interprofessional Communication	475	4.138	.862	4.272
Teams and Teamwork*	475	3.998	.882	4.000